

Message

From: Wagner, Christine [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=12068C1889924ECF96F692831F0C77D4-CWAGNE02]
Sent: 5/18/2021 5:44:22 PM
To: Nonresponsive based on revised scope
CC: Clark, Kevin [Clark.Kevin@epa.gov]
Subject: FW: Cover Feasibility Inquiry- Shiloh Church
Attachments: DTN 0168 - Limited Evaluation Report - Shiloh Church Road Removal Site - DRAFT (002).pdf

Nonresponsive based on revised scope

Attached is a feasibility study Tt put together for the drum area. Please review and identify any “red flags” that would be completely impractical. Please note that I am NOT asking either of you to recommend an option or to proceed with any of the proposals enclosed. I just want to make sure there is nothing “impossible” in this document

Thank you
Chris

From: Clark, Kevin <clark.kevin@epa.gov>
Sent: Monday, May 17, 2021 12:18 PM
To: Wagner, Christine <Wagner.Christine@epa.gov>
Subject: Cover Feasibility Inquiry- Shiloh Church

Good afternoon Chris,

Attached is the draft limited evaluation report for the potential cover of the drum area at the Shiloh Church Rd. Site. I compared it against the spec requirements we drafted in the TD and while limited, it checks the boxes for the scope of work.

Please let me know if you would like them to include any additional information or consider any additional approaches for the next revision.

Thanks,
Kevin

Kevin Clark
On-Scene Coordinator
U.S. EPA Region III
1060 Chapline St
Wheeling, WV 26003
304-234-0271